Opportunities and Challenges: Mapping the Future

Joseph W. Thompson, MD, MPH


Surgeon General State of Arkansas

Director

Arkansas Center for Health Improvement








BRFSS, 1991

(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)








BRFSS, 1992

(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)








BRFSS, 1993

(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)








BRFSS, 1994

(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)








BRFSS, 1995

(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)




No Data <a> <10% <a> 10%-14% <a> 15%-19%



BRFSS, 1996

(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)









BRFSS, 1997

(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)









BRFSS, 1998

(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)









BRFSS, 1999


(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)









(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)









(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)









(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)









(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)








(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)









BRFSS, 2005

(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)









BRFSS, 2006

(*BMI ≥30, or ~ 30 lbs. overweight for 5′ 4″ person)









BRFSS, 1990, 1998, 2006


(*BMI ≥30, or about 30 lbs. overweight for 5'4" person)








Annual Average Total* Costs Linked to Obesity



^{*}Includes medical (inpatient and outpatient) and pharmacy costs for 18-84 year old state employees.



Average Annual Total* Costs Linked to Obesity compared with No Risk by Age Group



*Includes medical (inpatient and outpatient) and pharmacy costs for state employees.



84th General Assembly Act 1220 of 2003

An act to create a Child Health Advisory Committee; to coordinate statewide efforts to combat childhood obesity and related illnesses; to improve the health of the next generation of Arkansans; and for other purposes.

Goals:

- Change the environment within which children go to school and learn health habits every day
- Engage the community to support parents and build a system that encourages health
- Enhance awareness of child and adolescent obesity to mobilize resources and establish support structures




Act 1220 Requirements

- 1. Establishment of an Arkansas Child Health Advisory Committee
- 2. Elimination of vending machines in public elementary schools
- 3. Professional education for cafeteria workers
- 4. Public disclosure of "pouring contracts"
- 5. Establishment of local parent advisory committees for all schools
- 6. Confidential child health report delivered annually to parents with body mass index (BMI) assessment



National and Arkansas Childhood Obesity Trends





NHANES data sources: Ogden et al. *Prevalence and Trends in Overweight Among US Children and Adolescents, 1999-2000.* JAMA 2002;288(14):1728-1732. Ogden et al. *Prevalence of Overweight and Obesity in the United States, 1999-2004.* JAMA 2006;295(13):1549-1555.



Arkansas data source: Arkansas Center for Health Improvement, Little Rock, AR, September 2007.